Introduction to Scientific Programming in C++

Ramses van Zon Scott Northrup

SciNet/Compute Canada

April 23, 2012



1 / 124

- Introduction
- O review (+make)
- 8 Running example
- C++ as a better C
- Sig C++ (object oriented programming)
- Important libraries
- Further reading...



2 / 124

Part I

Introduction



April 23, 2012 3 / 124

Programming strategies

- Procedural programming
- Structured programming
- Object oriented programming

Definition

In procedural programming, one takes the view that a sequence of actions are performed on given data.

Definition

Structured programming uses a systematic break-down of this sequence of actions down to the simplest task level.



4 / 124

Introduction - Procedural and structured programming



April 23, 2012 5 / 124

Problems

- Complex input data
- Multiple actions to be performed on data
- Separation data+code is bad for reusability
- Leads to reinventing the wheel

One would instead like to build "components" with known properties and known ways to plug them into your program.



6 / 124

Introduction - Object oriented programming

Definition

Object oriented programming treats data and the procedures that act on them as single "objects".



Introduction - Object oriented programming

Advantages

- Complexity can be hidden inside each component.
- Can separate interface from the implementation.
- Allows a clear separation of tasks in a program.
- Reuse of components.
- Same interface can be implemented by different kinds of objects.
- Helps maintanance.

Gotcha: Mind The Cost!

Complexity may be hidden, but you should know:

- the computational cost of the operations
- what temporary objects may be created,
- and how much creating different types of object costs.

On a low level, OOP rules may need to be broken for best performance.

- You can apply these programming strategies to almost any programming languages, but:
- The amount of work involved in object-oriented or generic programming differs among languages.
- As a result, the extent to which the compiler helps you by forcing you not to make mistakes differs among languages.

C++

- C++ was designed for object oriented and generic programming,
- and C++ has better memory management, stricter type checking, and easier creation of new types than C,
- while you can still optimize at a low level when needed.



9 / 124

Introduction: History of C++



Ramses van Zon, Scott Northrup (SciNet) Intro Scientific Programming in C++

Part II

Review of C



April 23, 2012 11 / 124

- C was designed for (unix) system programming.
- C has a very small base.
- Most functionality is in (standard) libraries.

```
Most basic C program:
```

```
int main() {
    return 0;
}
```

• main is first called function: must return an int .

• C expresses a lot with punctuation.



12 / 124

C review: Language elements

Variables

Define a variable with

type name;

where type may be a

- built-in type:
 - floating point type:

float, double, long double

• integer type:

short, [unsigned] int, [unsigned] long int

• character or string of characters:

char, char*

- structure
- enumerated type
- union
- array
- o pointer

C review: Language elements

Pointers

type *name;

Assignment:

int a,b; int *ptr = &a; a = 10; b = *ptr;

Automatic arrays

type name[number];

Gotcha: limitations on automatic arrays

- There's an implementation-dependent limit on number.
- C standard only says at least 65535 bytes.

Ramses van Zon, Scott Northrup (SciNet) Intro Scientific Programming in C++

Dynamically allocated arrays

Defined as a pointer to memory:

type *name;

Allocated by a function call:

name = (type*)malloc(sizeof(type)*number);

Deallocated by a function call:

free(name);

- System function call can access all available memory.
- Can check if allocation failed (name == 0).
- Can control when memory is gived back.
- Can even resize memory.







15 / 124

C review: Language elements

Structures: collection of other variables.

```
struct name {
   type1 name1;
   type2 name2;
   ...
};
```

Example

```
struct Info {
    char name[100];
    unsigned int age;
};
struct Info myinfo;
myinfo.age = 38;
strcpy(myinfo.name, "Ramses");
```

C review: Language elements

Enums

Used to define integer constants, typically increasing.

```
enum name {
    enumerator[=value], ...
};
```

By default, successive enumerators get successive integer values.

- In C, interconvertible with an int.
- Useful to reduce number of **#define**'s.

Unions

Put one variable on top of another; rarely used.

```
union name {
   type1 name1;
   type2 name2;
   ...
};
```

Typedefs

Used to give a name to an existing data type, or a compound data type.

typedef existingtype newtype;

Similar to existingtype name; but defines a type instead of a variable.

Example (a controversial way to get rid of the struct keyword)

typedef struct Info Info;

Then you can declare a **struct** Info simply by

Info myinfo;

This works become the name **Info** in "**struct Info**" does not live in the namespace of typenames.



18 / 124

C review: Language elements

Functions

```
Function declaration (prototype)
```

```
returntype name(argument-spec);
```

Function definition

```
returntype name(argument-spec) {
   statements
```

}

Function call

```
var = name(arguments);
f(name(arguments);
```

Procedures

Procedures are just functions with return type **void** and are called without assignment.

C review: Language elements

Conditionals

```
if (condition) {
```

statements

```
} else if (other condition) {
   statements
```

```
} else {
```

statements

```
}
```

```
switch (integer-expression) {
   case integer:
      statements
      break;
   ...
   default:
      statements;
      break;
}
```





21 / 124

C review: Operators

C has many operators

()	[]	->	•				
!		++		(type)	-	*	&
*	1	%					
+	-						
<<	>>	<	<=	>	>=		
==	! =						
&	^	I	**	11	?:		
=	+=	-=	*=	/=	%=	=	&=
,							

Gotcha: Bad precendence

Relying on operator precedence is error-prone and makes code harder to read and thus maintain (except for +, -, *, / and maybe %).

compute • caicul

22 / 124

C review: Libraries

Usage

• Put an include line in the source code, e.g.

#include <stdio.h>
#include "mpi.h"

 Include the libraries at link time. (not needed for standard libraries)

Common standard libraries

- stdio.h: input/output, e.g.,printf and fwrite
- stdlib.h: memory, e.g. malloc
- string.h: strings, memory copies, e.g. strcpy
- math.h: special function, e.g. sqrt

Compilation: Workflow



Compilation workflow



Compiling

Scientific computing = performance: Compile with optimization!

Compiling C from the command-line

If the source is in main.c, type

\$ gcc main.c -03 -o main

or

```
$ icc main.c -03 -o main
```

Compiling C++ from the command-line

If the source is in main.cpp, type

```
$ g++ main.cpp -03 -o main
```

or

```
$ icpc main.cpp -03 -o main
```

Compilation: Using make



27 / 124

Compiling with make

Single source file

```
# This file is called makefile
CC = gcc
CFLAGS = -03
main: main.c
$(CC) $(CFLAGS) main.c -o main
```

Multiple source file application

```
CC = gcc

CFLAGS = -03

main: main.o mylib.o

$(CC) main.o mylib.o -o main

main.o: main.c mylib.h

mylib.o: mylib.h mylib.c

clean:

\rm main.o mylib.o
```

When typing make at command line:

- Checks if main.c or mylib.c or mylib.h were changed.
- If so, invokes corresponding rules for object files.
- Only compiles changed code files: faster recompilation.

Gotcha:

Make can only detect changes in the dependencies.

It does not detect changes in compiler, or in system.

But .o files are system/compiler dependent, so they should be recompiled. So always specify a "clean" rule in the makefile, so that moving from one system or compiler to another, you can do a fresh rebuild:

April 23, 2012

29 / 124

\$ make clean
\$ make

Part III

Our running example, starting in C



```
#ifndef MYMATRIXH
#define MYMATRIXH
/* struct to hold a matrix */
struct matrix {
  int rows,cols; /* matrix dimensions */
  double *elements; /* points to elements */
};
/* initialize matrix (needed before usage) */
void matrix_construct(struct matrix *m, int r, int c);
/* free memory held by matrix (do after last usage) */
void matrix_destructor(struct matrix *m);
/* access matrix elements (through a pointer) */
double * matrix_element(struct matrix *m, int i, int j);
/* set all matrix elements to value */
void matrix_fill(struct matrix *m,double value);
#endif
```



31 / 124

```
#include <stdio.h>
#include "mymatrix.h"
void print(struct matrix *m) {
  int i,j;
  for (i=0; i < m->rows; i++) {
     for (j=0; j < m->cols; j++)
        printf("%8.2g ",*matrix_element(m,i,j));
     printf("\n");
  }
}
int main() {
  struct matrix A;
  matrix_construct(&A, 5, 5);
  matrix_fill(&A, 0.0);
  *matrix_element(&A, 0, 0) = 1.3;
  *matrix_element(&A, 4, 3) = -5.2;
  *matrix_element(&A, 1, 3) = -3.3e-4;
  print(&A);
  matrix_free(&A);
```

```
#include <stdlib.h>
#include "mymatrix.h"
void matrix_construct(struct matrix *m, int r, int c) {
  m->elements = (double *)malloc(sizeof(double )*r*c);
  if (m->elements==0) exit(1); /* exit program */
  m \rightarrow rows = r;
  m \rightarrow cols = c;
}
void matrix_free(struct matrix *m) {
  free(m->elements);
}
double * matrix_element(struct matrix *m, int i, int j) {
  return m->elements+i*m->cols+j;
}
void matrix_fill(struct matrix *m, double value) {
   int i,j;
  for (i=0; i < m->rows; i++)
     for (j=0; j < m->cols; j++)
        *matrix_element(m,i,j)=value;
}
```

makefile

```
CC = gcc

CFLAGS = -03 -march=native

main: main.o mymatrix.o

$(CC) main.o mymatrix.o -o main

main.o: main.c mymatrix.h

mymatrix.o: mymatrix.h mymatrix.c
```

```
$ make
gcc -03 -march=native -c -o main.o main.c
gcc -03 -march=native -c -o mymatrix.o mymatrix.c
gcc main.o mymatrix.o -o main
$ main 1.3 0 0 0 0
0 0 0 -0.00033 0
0 0 0 0 -0.00033 0
0 0 0 0 0
0 0 0 0 0
0 0 0 0 0
0 0 0 -5.2 0
```

Get the code at: wiki.scinethpc.ca/wiki/images/3/38/Scinetcppexamples.tgz



34 / 124

Part IV

C++ as a better C



35 / 124

- Comment style
- 2 Declare variables anywhere
- In Namespaces
- Improved I/O approach
- Seferences
- Improved memory allocation


- C comments start with /* and end with */
- C++ allows comments which start with // and last until the end-of-the-line.
- In addition, C-style comments are still allowed.
- C99 shares this nicety.

Example	
C:	C++:
/* This is a C comment*/	// This is a C++ comment



37 / 124

Nice C++ features: Declare variables anywhere

- C: variables are declared at start of function or file.
- C++: you can mix statements and variable declarations.
- C99 shares this nicety.

Example

```
C
double f() {
                                    C++:
   double a,b;
                                   double f() {
   int c:
                                      double a=5.2, b=3.1;
   a=5.2;
                                      for (int c=0; c < 10; c++)</pre>
  b=3.1:
                                         a+=b:
   for (c=0; c < 10; c++)</pre>
                                      return a;
      a+=b;
                                   }
  return a;
}
```

April 23, 2012

38 / 124

• In larger projects, name clashes can occur.

I had a 3d vector struct called vector. Then came along the Standard Template Library, which defined vector to be a general array. Before namespaces, I had to rename vector to Vector in all my code.

• No more: put all functions, structs, ... in a namespace:

```
namespace nsname {
```

```
}
```

- Effectively prefixes all of ... with nsname::
- Many standard functions/classes are in namespace std.
- To omit the prefix, do "using namespace nsname;"
- Can selectively omit prefix, e.g., "using std::vector"



39 / 124

Nice C++ features: I/O streams

Standard input/error/output

- Streams objects handle input and output.
- All in namespace std.
- Global stream objects (header: <iostream>)
 - cout is for standard output (screen)
 - cout is the standard error output (screen)
 - cin is the standard input (keyboard)
- Use insertion operator << for output:

std::cout << "Output to screen!" << std::endl;</pre>

(**endl** ends the line and flushes buffer)

• Use extraction operator >> for input:

```
std::cin >> variable;
```

• These operators figure out type of data and format.

CANADA

40 / 124

File stream objects (header: <fstream>)

ofstream is for output to file.
 Declare with filename: good to go!

```
std::ofstream file("name.txt");
file << "Writing to file";</pre>
```

ifstream is for input from a file.
 Declare with filename: good to go!

```
std::ifstream file("name.txt");
int i;
file >> i;
```

• Can also open and close by hand.



41 / 124

Nice C++ features: I/O streams

Example

C: double a,b,c; FILE* f; scanf(f, "%lf %lf %lf", &a, &b, &c); f = fopen("name.txt", "w"); fprintf(f, "%lf %lf %lf \n", a, b, c); fclose(f);

C++:

```
using namespace std;
double a,b,c;
cin >> a >> b >> c;
ofstream f("name.txt");
f << a << b << c << endl;</pre>
```

Nice C++ features: I/O Streams



Ramses van Zon, Scott Northrup (SciNet) Intro Scientific Programming in C++

April 23, 2012 43 / 124

Gotcha: text (ASCII) versus binary I/O

While easy, writing ASCII is rarely the best choice in scientific code. "What is wrong with ASCII," you ask, "isn't it nice that it is readable?"

- ASCII typically doesn't preserve the data's accuracy.
- ASCII typically takes more space than writing binary.
- Writing and reading ASCII is much slower than binary: *Writing 128M doubles*

Format	/scratch (GPFS)	/dev/shm (RAM)	/tmp (disk)
ASCII	173s	174s	260s
Binary	бѕ	1s	20s

Writing binary

std::ofstream has a write(char*,int) member function.

std::ifstream has a read(char*,int) member function.

Remember sizeof!

Nice C++ features: References

- A reference gives another name to an existing object.
- References are similar to pointers.
- Do not use pointer dereferencing (->), but a period .
- Cannot be assigned null.

Standalone definition (rare)

type & name = object;

- object has to be of type type.
- name is a reference to object.
- name points to object, i.e., changing name changes object.
- Members accessed as name.membername (as you would for object).

Definition as arguments of a function

returntype functionname(type & name, ...);

Example

To change a function argument, need a pointer in C:

```
void makefive(int * a) {
    *a = 5;
} ...
int b = 4;
makefive(&b); /* b now holds 5 */
```

```
C++: can pass by reference using \boldsymbol{k}:
```

```
void makefive(int & a){
    a = 5;
} ...
int b = 4;
makefive(b); /* b now holds 5 */
```



46 / 124

Nice C++ features: References

Gotcha: Avoid copies of objects in function calls

Compare these two functions

```
struct Point3D {
    double x,y,z;
};
void print1(Point3D a){
    std::cout << a.x << ' ' ' << a.y << ' ' ' << a.z << std::endl;
}
void print2(Point3D& a){
    std::cout << a.x << ' ' ' << a.y << ' ' ' << a.z << std::endl;
}</pre>
```

- Calling **print1** copies the content of **a** to the stack (24 bytes).
- Calling print2 only copies the address of a to the stack (8 bytes).
- Memory copies are not cheap!
- If we do this with classes, a so-called constructor is called everytime **print1** is called, whereas **print2** still only copies 8 bytes.

Nice C++ features: Improved memory allocation

Basic allocation

type* name = new type;

Allocation with initialization

type* name = new type(arguments);

Array allocation

type* name = new type[arraysize];

Basic de-allocation		
delete name;		
Array de-allocation		
delete [] name;		
		compute-calcu
amses van Zon. Scott Northrup (SciNet)	Intro Scientific Programming in C++	April 23, 2012 48 / 124

Nice C++ features: Improved memory allocation

Example

```
struct credit {
    long number, balance;
};
```

```
No more of this mess:
```

```
#include "stdlib.h"
struct credit* a;
double * b;
a = (struct credit*)malloc(sizeof(struct credit));
b = (double *)malloc(sizeof(double )*10000);
...
free(a); free(b);
```

Instead, simply:

```
credit* a = new credit;
double * b = new double [10000];
...
delete a; delete[] b;
```

HANDS-ON 1:

Use these nice $\mathsf{c}{++}$ features to rewrite the matrix routines and the main function.



50 / 124

Hands-on 1 - instructions

• Make a directory for this course in your home directory, e.g.

```
$ mkdir scinetc++
$ cd scinetc++
```

- Copy the example directory from scinetcppexamples.tgz This is the matrix example that we looked at after the c review.
- Work from that new directory:

\$ cd example

Try to build the code

\$ make

• If successful, try to execute the program

\$./main

Every with me so far?



Hands-on 1 - instructions continued

• Copy the **example** directory to **example_nice**, and work there:

```
$ cd ..
$ cp -r example example_nice
$ cd example_nice
```

This will be the first c++ version of the matrix example.

Rename a the .c files to .cpp files:

```
$ mv main.c main.cpp
$ mv mymatrix.c mymatrix.cpp
```

- Copy the makefile for this set of files from the **example_nice** directory in scinetcppexamples.tgz.
- Try to build and run the code

```
$ make
$ ./main
```

Still with me?



52 / 124

Modify the code to use (one at a time):

- C++ comment style
- 2 Declarations of iteration variables in for loops
- Improved memory allocation
- Improved I/O
- Seferences

Test that the code builds and runs after implementing each feature.



53 / 124

If you did not quite get there, or if you have a few remaining bugs:

- Copy the c++ version I made, from the **example_nice** directory in **scinetcppexamples.tgz**, so we can continue later.
- Test that the code builds and runs.
- Be sure to look at the source code and see if it make sense to you.



54 / 124

Part V

Big C++



April 23, 2012 55 / 124

Non-OOP: functions and data that are accessible from everywhere.
OOP: Data and functions (methods) together in an object.



56 / 124

- Data is encapsulated and accessed using methods specific for that (kind of) data.
- The interface (collection of methods) should be designed around the meaning of the actions: abstraction.
- Programs typically contain multiple objects of the same type, called instances.



57 / 124

- Programs typically contain different types of objects.
- Types of objects can be related, and their methods may act in the same ways, such that the same code can act on different types of object, without knowing the type: polymorphism.
- Types of object may build upon other types through inheritance.



OOP Example

Example (abstract object hierarchy)





59 / 124

- C++ was one of the earlier languages which supported OOP. (it also supports other programming paradigms.)
- Not the earliest OOP language though: Simula, Smalltalk
- Java, C#, D all came later.
- And one can program in an object oriented fashion in almost any modern programming language (see matrix example in C).



60 / 124

- Classes and objects
- 2 Polymorphism
- Oerived types/Inheritance
- 4 Advanced: Generic programming/Templates



61 / 124

Big C++: Classes and objects

What are classes and objects?

- Objects in C++ are made using 'classes'.
- A class is a type of object.
- Using a class, one can create one or more instances of that class.
- These are the objects.

Syntactically, classes are structs with member functions.



Classes: Why structs with member functions?

An object should have properties.

- A struct can already collect properties of different types.
- It should be possible to declare several objects of the same type, just as in "int x,y;". A struct already constitutes a type definition.
- Functions on structs often pass a pointer to a struct as a parameter.
 Embedding functions in structs gives a natural implied parameter.



Classes: How do we add these member functions?

```
class classname {
   public:
     type1 name1;
     type2 name2;
     type3 name3(arguments); // declare member function
        ...
};
```

• public allows use of members from outside the class (later more)

```
Example
```

```
class Point2D {
   public:
      int j;
      double x,y;
      void set(int aj,double ax,double ay);
};
```

Classes: How do we define these member functions?

The scope operator :: type3 classname::name3(arguments) { statements }

Example



April 23, 2012

65 / 124

Classes: How do we use the class?

Definition

```
classname objectname;
classname* objectptrname = new classname;
```

Access operator . and ->

```
objectname.name// variable accessobjectname.name(arguments);// member function accessobjectptrname->name// variable accessobjectptrname->name(arguments);// member function access
```

Example

```
Point2D myobject;
myobject.set(1,-0.5,3.14);
std::cout << myobject.j << std::endl;</pre>
```

The **this** pointer

- The member functions of a class know what object to work on because under the hood, they are passed the pointer to the object.
- For those cases where the pointer to the object is needed, its name is always **this**.
- In other words, in the set function, j and this->j are the same.
- **this** is implicitly the first argument to the member function (this will become important in operator overloading later).



67 / 124

Data hiding: The secret agenda of classes

- Good components hide implementation data and member functions.
- Each member function or data member can be
 - private: only member functions of the same class can access these
 public: accessible from anywhere
 - **oprotected:** only this class and its derived classes have access.
- These are specified as sections within the class.

Example (Declaration)

```
class Point2D {
    private:
        int j;
        double x,y;
    public:
        void set(int aj,double ax,double ay);
        int get_j();
        double get_x();
        double get_y();
};
```

Data hiding: The secret agenda of classes

Example (Definition)

```
int Point2D::get_j() {
   return j;
}
double Point2D::get_x() {
   return x;
}
double Point2D::get_y() {
   return y;
}
```

Example (Usage)

```
Point2D myobject;
myobject.set(1,-0.5,3.14);
std::cout << myobject.get_j() << std::endl;</pre>
```

Ramses van Zon, Scott Northrup (SciNet) Intro Scientific Programming in C++

Gotcha:

When hiding the data through these kinds on accessor functions, now, each time the data is needed, a function has to be called, and there's an overhead associate with that.

- The overhead of calling this function can sometimes be optimized away by the compiler, but often it cannot.
- Considering making data is that is needed often by an algorithm just **public**, or use a **friend**.



70 / 124

Constructors and deconstructors

- A class defines a type, and when an instance of that type is declared, memory is allocated for that struct.
- A class is more than just a chunk of memory.
 For example, arrays may have to be allocated (new ...) when the object is created.
- When the object ceases to exist, some clean-up may be required (delete ...).

Constructor

... is called when an object is created.

Destructor

... is called when an object is destroyed.

Constructors

Declare constructors as member functions of the class with no return type:

```
class classname{
    ...
public:
    classname(arguments);
    ...
}
```

Define them in the usual way,

```
classname::classname(arguments) {
   statements
```

}

Use them by defining an object or with new.

```
classname object(arguments);
classname* object = new classname(arguments);
```

• You usually want a constructor without arguments as well.
Constructors

Example

```
class Point2D {
  private:
     int j;
     double x,y;
  public:
     Point2D(int aj,double ax,double ay);
     int get_j();
     double get_x();
     double get_y();
};
Point2D::Point2D(int aj,double ax,double ay) {
  j = aj;
  x = ax;
  y = ay;
}
Point2D myobject(1,-0.5,3.14);
```

Destructor

... is called when an object is destroyed.

Occurs when a non-static object goes out-of-scope, or when **delete** is used.

Good opportunity to release memory.

Example

```
classname* object = new classname(arguments);
...
delete object;// object deleted: calls destructor
{
    classname object;
}// object goes out of scope: calls destructor
```

April 23, 2012

Declare destructor as a member functions of the class with no return type, with a name which is the class name plus a ~ attached to the left.

April 23, 2012

75 / 124

Define a destructor as follows:

```
classname::~classname() {
   statements
}
```

• A destructor cannot have arguments.

Gotcha: Mixing new/delete and malloc/free

- Trivial objects (plain structs without constructors) can in principle be a allocated with **new** or with **malloc**.
- But pointers allocated with new cannot be freed using free, and for pointers allocated with malloc, delete should not be used.
- Non-trivial objects cannot be allocated with **malloc**, since the constructor is not called.
- It is best to stick to new and delete .



76 / 124

More member functions

... to support the class as a new type:

Default constructor

The default constructor is a constructor without arguments. If you have no constructors at all, C++ already knows what to do upon construction with no arguments (i.e., nothing), and you do not need to supply a default constructor (but it can still be a good idea).

If you have any constructors with arguments, omitting a default constructor severely limits the use of the class.

Opy constructor

Assignment operator

If the constructor allocates memory, the latter two should be supplied. If there is no memory allocation in the constructor, C++ can generate the copy constructor and assignment operator for you, performing a bit-wise or shallow copy.

Default constructor

Declaration

```
classname {
    ...
public:
    classname();
    ...
};
```

Definition

```
classname::classname() {
   statements
}
```

This function is needed to be able to

- Declare an object without parameters: classname name;
- Declare an array of objects: name = new classname[number];

Should set elements to values so that destruction or assignment work.

Copy constructor

Declaration

```
classname {
    ...
public:
    classname (classname & anobject);
    ...
};
```

Definition

```
classname::classname(classname & anobject) {
   statements
```

}

Used to

- Define an object using another object: classname name(existing);
- Pass an object by value to a function (often a bad idea).
- Return an object from a function.

Assignment operator

Declaration classname { ... public: classname& operator=(classname & anobject); ... };

Definition

```
classname& classname::operator=(classname & anobject) {
   statements
   return *this;
}
```

- Used to assign one object to another object: name = existing;
- But not in classname name = existing; calls the copy constructor.
- Returns a reference to this, to allow for the common C-construction name = anothername = existing;

HANDS-ON:

Convert the matrix structure to a proper c++ class, and rewrite main to use it.



81 / 124

Copy the whole example_nice directory to example_big

```
$ cp -r example_nice example_big
```

Modify the code to use:

- Classes instead of structs
- Member functions
- Onstructors and deconstructors
- Private member variables

Test that the code builds and runs.



82 / 124

If you did not quite get there, or if you have a few remaining bugs:

- Copy the c++ version I made from the **example_big** directory in **scinetcppexamples.tgz**, so we can continue later.
- Test that the code builds and runs.
- Be sure to look at the source code and see if it make sense to you.



83 / 124

Poly what now?

- Objects that adhere to a standard set of properties and behaviors can be used interchangeably.
- Implemented by Overloading and Overriding

Why bother?

- Avoid code duplication/reuse where not necessary
- Simplifies and structures code
- Common interface
- Consistency of design should be more understandable
- Debugging

Ramses van Zon, Scott Northrup (SciNet)

- Use expected syntax for non-built in Types
- A = B + C, regardless of what A, B, or C is.

```
Syntax
Declaration
   classname {
         . . .
      public:
         classname& operator=(classname & anobject);
         . . .
   };
Definition
   classname& classname::operator=(classname & anobject) {
      statements
      return *this:
   }
```

Example (Matrix Class)

```
class matrix {
  private:
     int rows, cols;
     double *elements;
  public:
     matrix(int r, int c);
     ~matrix();
     matrix& operator= (matrix &m);
     int get_rows();
     int get_cols();
     void fill(double value):
     matrix operator+ (const matrix &C);
};
```



86 / 124

Example (Add two martices)

```
matrix A(5,5), B(5,5), C(5,5);
A.fill(1.0); B.fill(1.0); C.fill(1.0);
for (int i=0, i<row; i++)
    for (int j=0, j<cols; j++)
        A[i][j] = B[i][j] + C[i][j];</pre>
```

Example (Add two martices using "+" operator)

```
matrix A(5,5), B(5,5), C(5,5);
A.fill(1.0); B.fill(1.0); C.fill(1.0);
A = B + C;
```



"+" Operator

```
matrix matrix::operator+ (const matrix &C) {
   matrix Temp(*this);
   for (int i=0, i<rows*cols; i++)
      Temp.elements[i] += C.elements[i];
   return Temp;
};</pre>
```

"+=" Operator

```
matrix& matrix::operator+= (const matrix &C) {
   for (int i=0, i<rows*cols; i++)
        elements[i] += C.elements[i];
};</pre>
```



compute • calcu

const

- set a constant variable at compile time
- keyword to protect your variables
- const references

+=" Operator with bounds checking

```
matrix& matrix::operator+= (const matrix &C) {
    if ( rows == C.rows && cols == C.cols) {
        for (int i=0, i<rows*cols; i++)
            elements[i] += C.elements[i];
    } else {
        cerr<<"Matrix Indicies don't match, can't add";
        exit(1);
    }
};</pre>
```

"()" Operator

```
double & matrix::operator() (int &i, int &j) {
    return elements[i*cols + j];
};
```

```
A(1,4) = 6;
double y = A(1,4);
```

"[]" Index Operator

```
double matrix::operator[] (int &i) {
    return elements[i];
};
```



90 / 124

"<<" ">>>" Stream Operators

```
std::ostream& operator << (std::ostream& o, matrix& m) {
   for (int i=0; i<m.get_rows() ; i++) {
      for (int j=0; j<m.get_cols(); j++) {
         o << m(i,j) << " ";
      }
      o << std::endl;
   }
};
std::cout<<"Matrix A = "<< A << std::endl;</pre>
```



91 / 124

Friends

• friend keyword allows non-member functions access to private data.

$<<\!\!\!\!\!<\!\!\!\!\!">" ">>" Stream Operator using friend$

```
class matrix {
    ...
friend std::ostream& operator<<(std::ostream& o, matrix& m);
};</pre>
```

```
std::ostream& operator<<(std::ostream& o, matrix& m) {
   for (int i=0; i<rows ; i++) {
      for (int j=0; j<cols; j++) {
        o << elements[i*cols + j] << " ";
      }
      o << std::endl;
   }
};</pre>
```

C++ operators available to overload							
+	-	*	1	%	^	&	
I	~	!	=	<	>	+=	
-=	*=	/=	%=	^=	&=	I	
<<	>>	>> =	<< =	==	! =	<=	
>=	&&	11	++		->*	,	
->	[]	()	new	new[]	delete	delete[]	



93 / 124

HANDS-ON:

Overload +=, (), and stream operators for matrix $c{++}$ class, and rewrite main to use it.



94 / 124







Definition

- child classes are derived from other parent classes
- automatically include parent's members
- inherit all the accessible members of the base class

Specifics

A derived class inherits every member of a base class except:

- its constructor and destructor
- its assignment operator
- its friends



96 / 124

Inheritance



Example (Matrix Base Class)

```
class matrix {
  protected:
     int rows, cols;
     double *elements;
  public:
     matrix(int r, int c);
     ~matrix();
     int get_rows();
     int get_cols();
     void fill(double value);
     matrix operator+ (const matrix &C)
};
```



Example (Square Matrix Derived Class)

```
class squarematrix : public matrix {
  private:
  protected:
  public:
      squarematrix(int r, int c) : matrix(r,c) {
         if(r!=c) std::cerr<<"not a square matrix"; exit(1);</pre>
      }
     double trace() {
         double sum(0.0):
        for(int i=0; i <rows ; i++)</pre>
         sum += elements[i*cols+i];
        return sum;
      }
};
```

April 23, 2012

Example

```
matrix P(5,5);
squarematrix Q(5,5);
P.fill(1.6);
Q.fill(1.6);
std::cout<<" Trace = "<<Q.trace();</pre>
```



100 / 124

HANDS-ON:

Come up with a derived class inheriting the matrix class as a base class.



Idea

- Use base class as framework for derived classes usage.
- Define member functions with virtual keyword.
- Override base class functions with new implementations in derived classes.
- If virtual keyword not used, overloading won't occur.

Polymorphism comes from the fact that you could call the based method of an object belonging to any class that derived from it, without knowing which class the object belonged to.



Example (Matrix Base Class)



Example (Square Matrix Derived Class)

```
class squarematrix : public matrix {
  private:
  protected:
  public:
      squarematrix(int r, int c) : matrix(r,c) {
        if(r!=c) std::cerr<<"not a square matrix"; exit(1);</pre>
      double trace():
      void fill(double value) {
        for (int i=0; i < rows*cols; i++)</pre>
           elements[i] = value:
      }
};
```



104 / 124

Example (non-virtual)

```
squarematrix Q(5,5);
Q.fill(1.6);
std::cout<<" Trace = "<<Q.trace();</pre>
```

Example (virtual)

```
matrix *Q;
Q = new squarematrix(5,5);
Q->fill(1.6);
std::cout<<" Trace = "<<Q->trace();
```



Gotcha:

- Virtual functions are run-time determined
- Equivalent cost to a pointer dereference
- Not as efficient as compile time determined (ie non-virtual)
- Should be avoided for many use functions

Gotcha:

- Friend keyword allows non-member functions access to private data.
- Useful but does break OOP and will cause problems in inheritance.
- "friends are your enemies"



106 / 124

HANDS-ON:

Modify your derived and base class using the virtual keyword.



Definition: Generic Programming

Programming style in which specific Types are not specified initially, but instantiated when needed.

Templates

In C++ generic programming is implemented using Templates and instantiated at compile time.



108 / 124
Templates

Syntax

Functions

```
template < typename T > funcname (T &a)
```

Classes

```
template < class T >
class classname {
    private:
        T a, b;
    public:
        classname ();
        ...
        memberfunction(T &c, T &d);
};
```

Example (Double Matrix Class)

```
class matrix {
   private:
      int rows, cols;
      double *elements;
   public:
      matrix(matrix& m);
      ...
      void fill(double value);
      matrix& operator= (const matrix &m)
};
```



110 / 124

Templates

Example (Templated Matrix Class)

```
template <typename T>
class matrix {
  private:
     int rows, cols;
     T *elements;
  public:
     matrix(matrix<T>& m);
      . . .
     void fill(T value);
     matrix<T>& operator= (const matrix<T>& m);
};
```

```
template <typename T>
matrix<T>::matrix() {
  rows = 0; cols = 0;
  elements = new T[0];
}
```

Example (Calling Templated Class)

```
matrix<double> A(5,5);
A.fill(0.0);
A(0,0) = 1.3;
A(4,3) = -5.2;
matrix<int> B(5,5);
B.fill(33);
B(0,0) = 1;
B(4,3) = 2;
```



112 / 124

Explicit Instantiation

- Can override generic template abstract-type instantiation for a specific concrete-type.
- Similar to derived class override of base class member function.

```
template<> matrix<double>::fill(double value){
  for (int i=0; i < rows; i++) {
    for (int j=0; j < cols; j++){
      std::cout<<" I'm used for doubles ";
      (*this)(i,j)=value;
    }
}</pre>
```



113 / 124

Gotcha:

- Compile times can be significantly longer.
- Large header files.
- Debugging can be a pain.
- Syntax can get complicated.



<u>11</u>4 / 124

HANDS-ON: Template your matrix class.



Part VI

Important libraries



Don't reinvent the wheel

- It may be interesting to code your own linear algebra solver (say), but is it worth your time?
- There are some good scientific libraries out there.
- The nice thing is, they needn't be c++ libraries, as you can use c libraries in c++.
- Even for basic functionality, there are libraries.



117 / 124

STL: Standard Template Library

Offers a lot of basic functionality

- Supplies a lot of data types and containers (templated).
- Often presented as part and parcel of the C++ language itself.
- Also contains a number of algorithms for e.g., sorting, finding
- Efficiency implementation dependent, and generally not great.

Some of the STL data types

vector	Relocating, expandable array
list	Doubly linked list
deque	Like vector, but easy to put something at beginning
map	Associates keys with elements
set	Only keys
stack	LIFO
queue	FIFO

STL: Standard Template Library

Example

```
#include "iostream"
#include "vector"
class Grape {
  public:
      int nseeds:
};
int main() {
  using namespace std;
  Grape grapes[10];
  vector<Grape> bunch(grapes,grapes+9);
  bunch.push_back(grapes[9]);
  for (int i=0; i<bunch.size(); i++)</pre>
      cout << bunch[i].nseeds << endl;</pre>
  vector<Grape>::iterator i;
  for (i=bunch.begin(); i!=bunch.end(); i++)
      cout << (*i).nseeds << endl;</pre>
}
```

Gotcha: Performance

- The purpose of the STL is not to provide a high performance library, i.e., runtime speed is not the objective.
- Rather it aims to have flexible containers with a uniform usage pattern.
- As a result, using e.g. an **std::vector** in an inner loop of you computation, instead of a simple array, can substantially slow down your code (even with the improvements in the implementation since the early days).
- The STL still does not have higher dimensional arrays, and the last thing you want is to have vectors of vectors.



120 / 124

Other useful (scientific) libraries

library	functionality	C++	parallel
MPI	distributed parallel program	\checkmark	\checkmark
OpenMP	shared memory parallelism	\checkmark	\checkmark
Blas/Lapack	linear algebra (in MKL, ESSL)	×	√ ×
Petsc	matrices, vectors, linear solvers	×	\checkmark
GSL	numerical library	×	×
Boost	continues where STL left off	\checkmark	×
	(+math, statistics, random, blas)		Thread&MPI
IT++	templated matrix implementations	\checkmark	×
Blitz++	(not exhaustive)	\checkmark	×
Armadillo		\checkmark	√ ×
POOMA		\checkmark	\checkmark
Eigen		\checkmark	×

Again: Don't reinvent the wheel!



SMINE

Part VII

Further reading



Basic stuff (you'll want to learn these)

- Const correctness
- Booleans
- Inline functions

- Preprocessor
- New names for c header files
- Default parameters

Advanced material

- Initializer lists
- Static class members and enums
- Advanced template parameters
- Abstract base classes
- Multiple inheritance
- Exceptions



Books

- C++ Interactive Course, Lafore, Waite Group '96
- C++ FAQs, Cline, Lomow & Girou, Addison-Wesley '99
- The C++ Programming Language, Stroustup, Addison-Wesley '00

April 23, 2012

124 / 124

- C+ Templates Vandervoorde & Josuttis, Addison-Wesley '03
- Effective C++, Meyers, Addison-Wesley '03 Addison-Wesley,

Online

- C++ FAQ, www.parashift.com/c++-faq-lite
- C++ Annotations, www.icce.rug.nl/documents/cplusplus
- *C++ Reference,* www.cplusplus.com/reference

Google is your friend!